CONTENTS

Crystal structure and spectroscopic behaviour of the 1:2 complex of *N, N, N', N'*-tetraethylphthaldiamide with pentachlorophenol
E. Grech and J. Nowicka-Scheibe (Szczecin, Poland), T. Lis and Z. Malarski (Wroclaw, Poland) 1

Spermidine-linked cyclophosphazenes: new SPIRANSA configurations
G. Guerch and J.-F. Labarre (Toulouse, France) 11

An answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part XI. The first macro-SPIRO and macro-ANSA species from dioxodiamines
A. El Bakili, P. Castera, J.-P. Faucher, F. Sournies and J.-F. Labarre (Toulouse, France) 21

The hydrogen bond in 2-(*N, N*-dimethylamino-*N*-oxymethyl)-4, 6-dimethylophenol
M. Rospenk, A. Koll, T. Glowiak and L. Sobczyk (Wroclaw, Poland) 33

Determination of the structure of (i,o)-bicyclo[6.2.2] dodeca-11-ene-2,3-anhydride by X-ray crystallography and molecular mechanics
N.L. Allinger and K. Chen (Athens, GA, U.S.A.), P.G. Gassman, R.C. Hoye and L.B. Fertel (Minneapolis, MN, U.S.A.) 43

Crystal and molecular structure of cytosine trichloroacetate
M. Gdaniec, B. Brycki and M. Szafran (Poznan, Poland) 57

Electronic and structural features of γ-aminobutyric acid (GABA) and four of its direct agonists
K.B. Lipkowitz (Indianapolis, IN, U.S.A.), R.D. Gilardi (Washington, DC, U.S.A.) and M.H. Aprison (Indianapolis, IN, U.S.A.) 65

Calculation of the effect of shock and temperature on hydrogen bonding in water
F.J. Owens (Dover, NJ, U.S.A.) 79

Conformational analysis of polyfunctional amino compounds by molecular mechanics. Part III. 1,3,5-Triazacyclohexanes, 2,5,7,10-tetrazabicyclo[4.4.0]decanes and 1,3,5,7-tetrazabicyclo[3.3.1]nonanes
L. Carballeira, R.A. Mosquera and M.A. Ríos (Galicia, Spain) 89

Empirical force field calculations (MM2-V4) on biphenyl and 2,2′-bipyridine
C. Jaime and J. Font (Bellatera, Spain) 103

Molecular mechanics and force field calculations in vibrational spectroscopy
L.-O. Pietilä (Helsinki, Finland) 111

Molecular-dynamics simulations of β-D-ribose and β-D-deoxyribose solutions
B.P. van Eijck and J. Kroon (Utrecht, The Netherlands) 133

Molecular mechanics and molecular shape. Part VII. Structural factors in the estimation of solvation energies
A.Y. Meyer (Jerusalem, Israel) 147

Structure and polarized IR spectra of the $K_2HPO_4 \cdot 3H_2O$ crystal
J. Baran, T. Lis and H. Ratajczak (Wroclaw, Poland) 159

Rydberg series in the near-UV vapour-phase absorption spectra of $(\eta^6\text{-arene})_2Cr(0)$ and $(\eta^6\text{-arene})_2V(0)$ complexes
S. Yu. Ketkov, G.A. Domrachev and G.A. Razuvaev (Gorky, U.S.S.R.) 175

Structure of electrolyte solutions in aliphatic amines. Part III. Infrared study of trifluoroacetates in ethylenediamine
P. Dryjanski (Warsaw, Poland) 189

Interaction of guanine with oxygen and further evidence for its asymmetric double-well potential surfaces
P.C. Mishra (Varanasi, India) 201

Infrared spectrum of the complex of formaldehyde with carbon dioxide in argon and nitrogen matrices
G.P. van der Zwet, L.J. Allamandola, F. Baas and J.M. Greenberg (Leiden, The Netherlands) 213

Methyl vinyl ketone in the gas phase, investigated by electron diffraction, infrared band contour analysis and microwave spectroscopy, supplemented with ab-initio calculations of geometries and force fields
J. de Smedt, F. Vanhoutegem, C. van Alsenoy and H.J. Geise (Wilrijk, Belgium), B. van der Veken and P. Coppens (Antwerp, Belgium) 227
The molecular structure of t-butyldimethylsilyl chloride in the gas phase, determined by electron diffraction
D.G. Anderson, D.W.H. Rankin and H.E. Robertson (Edinburgh, Gt. Britain) 253
Determination of the gas-phase molecular structures of methyldisilylamine and ethyldisilylamine by electron diffraction
D.G. Anderson and D.W.H. Rankin (Edinburgh, Gt. Britain) 261
Conformation-determining factors for complexes of 18-crown-6 cations
M. Miyazawa, K. Fukushima and S. Oe (Shizuoka, Japan) 271
Incoherent inelastic neutron scattering studies of proton conducting materials trivalent metal acid sulphate hydrates. Part I. The vibrational spectrum of $H_5O_2^+$
D.J. Jones and J. Roziere (Montpellier, France), J. Penfold and J. Tomkinson (Didcot, Gt. Britain) 283
Dynamic aspects of a fast protonic conductor: oxonium perchlorate. Part I. Raman and inelastic neutron scattering spectra
M. Pham Thi, J.F. Herzog, M.H. Herzog-Cance and A. Potier (Montpellier, France) and C. Poinsignon (Grenoble, France) 293
Magnetic interactions in Mn(II)–methylpyrazole complexes
R. Stösser and R. Kalähne (Berlin, G.D.R.), K. Möckel and E. Backhaus (Schillerweg, G.D.R.) 311
^{35}Cl NQR study of 2,6-dichlorotoluene
J.L. Caccia, D.J. Pusiol and A.H. Brunetti (Córdoba, Argentina) 319
A study of the molecular structure of cocaine using molecular mechanics and NMR
R.A. Mosquera and E. Uriarte (Galicia, Spain) 325
Physical properties and structure of 2-nitro-2-nitrosopropane and its dimer
O. Exner, P. Fiedler and D. Šaman (Prague, Czechoslovakia) and B. Tinant (Louvain-la-Neuve, Belgium) 335
Mutual influence of two intramolecular hydrogen bonds in 1,3,5-triketones
D.Kh. Zheglova and I.K. Kavrakova (Sofia, Bulgaria), A.I. Kol'tsov (Leningrad, U.S.S.R.) and Yu.A. Ustynyuk (Moscow, U.S.S.R.) 343
The determination of long-range (C,H) coupling constants by one- and two-dimensional NMR experiments
R. Pachter and P.L. Wessels (Pretoria, South Africa) 351
Ligand ENDOR study of Cu(II)-doped L-histidine deuterochloride monodeuterohydrate single crystals at 4.2 K
C.A. McDowell, A. Naito, D.L. Sastry, Y.U. Cui, K. Sha and S.X. Yu (Vancouver, B.C., Canada) 361

Book reviews 383
Author Index 387
Subject Index 389